



Note: Spot Levels Denote Proposed Levels

LEGEND:

- 100mm thick C30/37 Concrete with A252 Mesh Reinforcement (centered) on 50mm T3 blinding on min 225mm² perm in accordance with Annex E of SR21:2016. Concrete to have a brushed finish with joints at 3m c/c typ.
- Existing Grassed Area. Areas disturbed during construction phase to be Leveled & Re-seeded.
- Areas to be Grassed. Areas disturbed during construction phase to be Leveled & Re-seeded.
- New Parking Area
- Existing Griselinia Hedging

WALL TYPES:

- Wall Type A - Existing Boundary Wall. All damage to capping & render to be replaced and/or repaired. all sections to be painted, colour to match existing.
- Wall Type B - New section of Blockwork Boundary wall to tie into existing. Section to be capped, rendered and painted on both sides, colour to match existing.
- Wall Type C - 1.8m Min. High Existing Concrete Block 'Gossip Wall' with new concrete capping, rendered on both sides and painted, colour to match existing.
- Wall Type D - 1.8m Min. High Concrete Post & Panel Fence.
- Wall Type E - New 400mm High - 215mm Wide Concrete Block Boundary Wall with new 1.1m High Galvanized Hoop Top Railing & 3m Wide Metal Gate, Wall rendered on both sides and painted, colour to match existing.
- Wall Type F - 800mm High Railing

Carpark Area to be resurfaced and level raised to allow for Level Access

400mm Low Wall with Round Top Railing & 3m Wide Metal Gate, Finish To Match Existing

New Level Access Path from Car Park Area

HD Kerb

Gate fixed shut

800m High Railing

Proposed Dwellings

400mm Low Wall with Round Top Railing & 3m Wide Metal Gate, Finish To Match Existing

REVISION	DATE	BY	DETAILS	Drawn By	Checked By	Approved By	Issue Date	Scale	Purpose Code	Original	Spinal Zone	Level	Site Type	Revision	Number
2	07/24	CF	Issue 2	CF	CC	CC	13/03/24	1/100 @A1	P03	S		2	Planning		
1	05/24	CF	Issue 1												
0	03/24	DOS	Issue 0												

CroCon Engineers Ltd.
 Consulting Engineers
 4 Main St., Bantry, Co. Cork
 E: info@crocon.ie
 Tel: (027) 50123

Project: 23004 - CRO - X - XXX - DR - SE - 01005
 Client: Cork County Council
 Project: Proposed 2 No. Houses, Adrigole Garda Station, Co. Cork
 Title: Proposed Landscaping Layout