



NOTE  
CONTOURS DENOTE EXISTING GROUND LEVEL

**LEGEND:**

- Site Boundary
- - - - Property Boundary
- 100mm THICK C30/37 CONCRETE WITH A252 MESH REINFORCEMENT (CENTERED) ON 50mm T3 BLINDING ON MIN 225mm T2 PERM IN ACCORDANCE WITH ANNEX E OF SR21:2016. CONCRETE TO HAVE A BRUSHED FINISH WITH JOINTS AT 3m c/c TYP.
- EXISTING GRASSED AREA. AREAS DISTURBED DURING CONSTRUCTION PHASE TO BE LEVELED & RE-SEEDED.
- NEW AREA OF ROAD, PARKING SPACES & FOOTPATH, ALL TO TIE INTO EXISTING
- - - - NEW ESB DUCTING CONNECTING INTO EXISTING PUBLIC SERVICE
- 100mm Ø PERFORATED LAND DRAIN

**SITE AREAS:**

- Site 01: 450 Sqm
- Site 02: 513 Sqm
- TOTAL: 963 Sqm

**WALL TYPES:**

- WALL TYPE A - EXISTING SOD & STONE WALL WITH NEW CONCRETE CAPPING AND NEW 1.1m HIGH GALVANIZED HOOP TOP RAILING
- WALL TYPE B - EXISTING BOUNDARY WALL. ALL DAMAGE TO CAPPING & RENDER TO BE REPLACED AND/OR REPAIRED. ALL OVERGROWN VEGETATION TO BE REMOVED.
- WALL TYPE C - NEW STONE FACED RETAINING WALL (HEIGHT VARIES), 215mm CONCRETE CAST IN SITU WITH 200mm WIDE STONE FACING WITH CAPPING TO MATCH EXISTING.
- WALL TYPE D - NEW STONE FACED RETAINING WALL (HEIGHT VARIES), 215mm CONCRETE CAST IN SITU WITH 200mm WIDE STONE FACING WITH CAPPING AND NEW 1.1m HIGH GALVANIZED HOOP TOP RAILING TO MATCH EXISTING
- WALL TYPE E - 18 MIN HIGH - 215MM WIDE CONCRETE BLOCK 'GOSSIP WALL' WITH CAST IN-SITU CONCRETE CAPPING. RENDERED ON BOTH SIDES.
- WALL TYPE F - 1.8M MIN. HIGH CONCRETE POST & PANEL FENCE.
- WALL TYPE G - NEW 215MM WIDE CONCRETE BLOCK BOUNDARY WALL WITH NEW 1.1m HIGH GALVANIZED HOOP TOP RAILING, RENDERED ON BOTH SIDES. HEIGHT TO MATCH THAT OF THE ADJOINING STONE DITCH.
- WALL TYPE H - NEW 1.2m HIGH GALVANIZED HOOP TOP RAILING

<p>THIS DRAWING IS COPYRIGHT © CroCon Engineers Ltd. All rights reserved. No part of this drawing may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of CroCon Engineers Ltd. The copyright in this drawing is owned by CroCon Engineers Ltd. All other rights reserved.</p>		<p>Drawn By: DOS Checked By: CC Approved By: CC Date: 13/03/24 Scale: 1/200 @A1 Project: P03 Revision: S Level: 1 Stage: Planning</p>
<p>1 04/24 CC Issue 1 0 03/24 DOS Issue 0</p>	<p>REVISION DATE BY DETAILS</p>	<p><b>CroCon Engineers Ltd.</b> Consulting Engineers 4 Main St., Bantry, Co. Cork E: info@crocon.ie Tel: (027) 50193</p>

Client: Cork County Council  
Project: Proposed 2 No. Houses, Goleen Garda Station, Co. Cork  
Site: Proposed Site Layout

23005 - CRO - X - XXX - DR - SE - 01002